DRILLING AUGERS: RC10 - RC11 - DR11 DRIVES: 13DDS - SD95 20 - 30T (44,000lbs - 60,000lbs)







Need a CUSTOM SOLUTION? Contact Digga North America

	EXCAVATORS/MACHINES 20T - 25T		
MODEL	RC10	RC11	DR11
DRILLING CONDITIONS	COMBO ROCK/ EARTH	COMBO HEAVY DUTY ROCK/ EARTH	DEDICATED ROCK
HUB	4" Square	4" Square	4" Square
OPTIONAL HUB	3" Hex	3" Hex	3" Hex
OAL	60"	60"	80"
FLIGHTS (Lead)	5/8"	5/8"	1"
FLIGHTS (Carry)	5/8"	5/8"	13/16"
TEETH	TTD	TTL	1" Rock Pick
PILOT	PH-3	PH-3XL	DRP-25T
MAX SIZE	78"	78"	36"
IDEAL DRIVES	13DDS-20DDS	13DDS-30DDS	13DDS-30DDS-SD95
OPTIMUM DRILLING SPEEDS			
EARTH	55-65	55-65	-
CLAY	45-55	45-55	-
SHALE (FRACTURABLE ROCK)	25-45	25-45	25-45
HEAVY ROCK	10 - 25	10 - 25	10-25
AUGER FEATURES	Double flight configuration. Upgraded flights from 3/8" to 5/8" for greater durability & performance with larger machines.		Short flighting encourages regular removal of spoil, allowing cool air to enter the hole & regular inspection of teeth



DEDICATED ROCK

ROTATING ROCK PICKS FOR SHALE AND FRACTURABLE ROCK

HEAVY DUTY & EFFICIENT CUTTING HEAD FOR THE ULTIMATE ROCK DRILLING AUGER

Heavy duty engineered design with high efficiency cutting heads to maximise your drilling performance. Fitted with a range of quality wear parts providing superior wear and performance.



- TRUE CUT DESIGN ENSURES A 12INCH AUGER DRILLS A 300MM HOLE
- DRIVE ADAPTORS & EXTENSIONS TO MAXIMISE DRILLING DEPTH
- SHALLOW PITCH FLIGHTS FOR OPTIMUM REMOVAL OF SPOIL
- ROBUST AUGER BODY CONSTRUCTION FOR LONG LIFE
- HEAVY DUTY TUBE WITH HIGHEST GRADE STEEL
- VARIETY OF HUB OPTIONS

